

## Balancing different kinds of knowledge in store forecasting

Dr Steve Wood

Andrew Tasker



Accredited by  
Association  
of MBAs

School of Management  
[www.som.surrey.ac.uk](http://www.som.surrey.ac.uk)

### The background to today's presentation....

- ...has its roots in the practitioner - academic contrast
- Academic focus
  - "modelling, modelling, modelling"
- Working for a retailer
  - "what was the access like?"
  - "what was the competition like?"
  - "would the consumer cross the motorway there?"
  - "isn't it like St Ives?"
  - "what's the *right* forecast?"
  - **"do you think the model understands the catchment?"**



School of Management  
[www.som.surrey.ac.uk](http://www.som.surrey.ac.uk)




## A range of tools to use

Technique	Details	Technological and data input
Experience/experimental	'Rule of thumb' procedures often employed 'on site' where the benefits of experience, observation and intuition drive decision-making.	Low
Checklist	Procedure to systematically evaluate the value of (and between) site(s) on the basis of a number of established variables.	↑
Ratio	Assumes that if a retailer has a given share of competing floorspace in an area it will achieve a proportionate share of total available sales.	
Analogues	Existing store (or stores) similar to the site are compared to it to tailor turnover expectations.	
Multiple regression	Attempts to define a correlation between store sales and variables within the catchment that influence performance.	
Geographical information systems (GIS)	Spatial representation of geodemographic and retail data that is based on digitalised cartography and draws on relational databases.	↓
Spatial interaction modeling	Derived from Newtonian laws of physics based on the relationship between store attractiveness and distance from consumers. May operate 'within' a GIS.	
Neural networks	Computer-based models explicitly represent the neural and synaptic activity of the biological brain.	
		High

Source: Wood & Tasker, 2008

School of Management  
[www.som.surrey.ac.uk](http://www.som.surrey.ac.uk)





## Small differences in location = big changes to forecast



- 'Despite the latter-day advances in location modelling and geographical information systems, the outcome of locational decisions ultimately rests on micro-scale considerations; that is, the appropriateness or otherwise of the precise location within the chosen city centre, regional shopping centre, inner city arterial, secondary shopping district, retail park or whatever.'
- Brown, S (1994) 'Retail location at the micro-scale: Inventory and prospect', *Service Industries Journal*, 14 4, 542-576

School of Management  
[www.som.surrey.ac.uk](http://www.som.surrey.ac.uk)

## Don't rely on the technology exclusively....



- 'Technology cannot replace thorough field analysis and good retail intuition ... Too many site selection firms – on both sides of the Atlantic – mistakenly believe that the activity involves manipulating databases and models in a comfortable office. While being a great 'assist', location research technology is only as accurate as the data employed, and the judgments and care used to manage the process of application' (p 64)
- Rogers, D. (2006) 'Location Research Planning: The need for less hype', *European Retail Digest*, 49, p63-64

School of Management  
[www.som.surrey.ac.uk](http://www.som.surrey.ac.uk)



## Wear two heads – a modelling one and one for fieldcraft...



- 'It's easy to sit in Nottingham and twiddle with the GIS and think you can do a sales forecast for Hale in Cornwall. You go, and then you discover that the people there are different'.
- **Mark Chivers, Head of Strategy Development & Research at Boots.**
- Tinworth, A. (2005) 'Let's find out where it's at', *Estates Gazette*, Issue 540



School of Management  
[www.som.surrey.ac.uk](http://www.som.surrey.ac.uk)

## Even the data providers acknowledge the limitations...



- 'Many factors that are not easily measurable (e.g. operations) affect store performance, while other factors (e.g., visibility ratings) can only be measured in an imperfect manner. It is important to note that retail models cannot directly model situations that aren't present in a database of stores that already exist'
- Wolfe, D. (2005) '10 common mistakes in site modelling', *MapInfo Magazine*, Vol. 9, No. 1, pp. 9-11.



School of Management  
[www.som.surrey.ac.uk](http://www.som.surrey.ac.uk)




## Forecasting is not just modelling – it is decision-making!



- Forecasting is more than simply pressing buttons!
- The forecast is located at the intersection of modelled knowledge and observed knowledge.
- Reflected on two case studies to:
  - Understanding the nature and benefit of the site visit.
  - How that knowledge feeds into the decision-making process.

School of Management  
[www.som.surrey.ac.uk](http://www.som.surrey.ac.uk)





## Two Types of Market - Different Approach



**Primary Destination Modelling** – Measuring the impact of creating new destinations  
(Creating new flows)

**Convenience Modelling** – Measuring the intensity and relevance of existing flows  
(Feeding from flows)



School of Management  
[www.som.surrey.ac.uk](http://www.som.surrey.ac.uk)

## What is a Destination?



**“The ultimate goal for which something is done”**

Work  
Food Shopping  
Durable Shopping  
Holiday  
School  
Leisure


City Centre  
Mall  
Retail Park  
Superstore  
Theatre  
Specialist stores



School of Management  
[www.som.surrey.ac.uk](http://www.som.surrey.ac.uk)




## Destination Analysis



School of Management  
www.som.surrey.ac.uk

## Destination Analysis



School of Management  
www.som.surrey.ac.uk



## Destination Markets – Site Visits



- Understanding of Accessibility drivetimes ---isochrones
- Confirmation of market relevance social class---culture & lifestyle
- Assessment of competing destinations competitor analysis
- Characteristics of destination size / parking ---congestion, multi-level



School of Management  
[www.som.surrey.ac.uk](http://www.som.surrey.ac.uk)

## Convenience Markets – Site Visits



- What and where is the destination(s)  
offices / town centres --- business parks / Malls
- Car parks and transport nodes  
Bus stops / tube stations --- Trams / Park and Rides
- Transport and pedestrian flows  
Numbers ---daily hourly variations / proximity / relevance
- “Secondary” destinations  
Adjacencies



School of Management  
[www.som.surrey.ac.uk](http://www.som.surrey.ac.uk)



## Prior to Site Visit



- |   |                           |
|---|---------------------------|
| • Understand the market                 | Destination / convenience |
| • Understand the brand characteristics  | Target customer           |
| • Identify appropriate location type    | Network Plan              |
| • Which market aspects require checking | Information Gathering     |
| • Consolidating information with model  | Sales Forecast            |

School of Management  
[www.som.surrey.ac.uk](http://www.som.surrey.ac.uk)

## Case study context - Selsdon



- In 2002, an available site for a 25,000 sq ft Sainsbury's supermarket in Selsdon, Croydon, South London


### What did the visit show?

- Traffic congestion but visibility from main roads
- High Street lively and low vacancy
- Car parking a problem in immediate catchment – lots of pay & display and few vacant spaces
- Main competition: a Somerfield at 8,000 sq ft, small car park. Stronger competition in surrounding towns.
- Surrounding towns were very distinct communities. Suggested that the store should attract trade strongly within Selsdon itself and where Selsdon stretched down to South Croydon and Purley.

School of Management  
[www.som.surrey.ac.uk](http://www.som.surrey.ac.uk)



## Selsdon catchment with 10 minute drivetime



© Crown Copyright Ordnance Survey. All rights reserved

School of Management  
www.som.surrey.ac.uk

## Case study context - Selsdon



### Conclusions from the site visit and implications for forecasting

- Site prominent, visible and well placed to serve the identified catchment.
- Constrained nature of the car parking less of a factor given the limited parking also offered by the competition.
- Should exploit linked shopping trips.
- Concerns regarding about traffic congestion and access.  
Recommendations for traffic light junction with the right phasing.
- Amended gravity model output - the analyst considered the store would be unlikely to trade strongly from Forestdale and New Addington which benefited from being served by the new Croydon Tramlink.

### The outcome

- Opened in June 2004 and traded just above expectation.

School of Management  
www.som.surrey.ac.uk





## Case study context: Hayes



- Sainsbury's Local site was first identified in 1999.
- Located on a local shopping parade in Hayes, Kent, South-East England

### What did the visit show?

- Shopping parade did not have a one-stop shop supermarket; the nearest stores being two Sainsbury's superstores at a distance of 1.5/2.5 miles.
- 150 metres away was Hayes Railway Station, a southern terminus for a suburban line that runs to Charing Cross in Central London.
- Defendable: apart from an Iceland and the site being reviewed, no other opportunities to establish a store of this size in the immediate area.
- On-street pay and display parking and a bus stop outside the site with a surface car park behind the shopping parade opposite.
- Visited on a weekday and Saturday morning and the footfall was typical compared to other shops within the Sainsbury portfolio.



School of Management  
[www.som.surrey.ac.uk](http://www.som.surrey.ac.uk)



## Hayes Local catchment with 0.5 and 2 mile radii



© Crown Copyright Ordnance Survey. All rights reserved

School of Management  
[www.som.surrey.ac.uk](http://www.som.surrey.ac.uk)









## Case study context: Hayes



### Conclusions from the site visit and forecasting implications

- A simple regression model was used
- Most of the inputs were score based, which had a degree of subjectivity – e.g. population, competition, footfall, “stopability” etc.
- “Transport nodes” - it was felt that the store would cause some consumers to divert to visit the store on their way home.

### Implications

- Opened June 2000: traded at less than three quarters of its estimate.
- Acted as a “top-up shop” rather than a “grab & go” store for commuters.
- Provided a lesson regarding the penalty of locating slightly “off pitch” when attempting to capture commuter trade.
- Re-merchandised to target the top-up shopper and sales gradually increased over the following year.
- With an adjustment to the model to lower the transport node score, the store ultimately traded on forecast.

School of Management  
www.som.surrey.ac.uk

## The site visit – the catchment



Catchment Inventory of the competition	Assess competition specifically for: <ul style="list-style-type: none"><li>(a) Size of selling area</li><li>(b) No. of assistants</li><li>(c) No. of checkouts</li><li>(d) Range of goods and services</li><li>(e) Price policy</li><li>(f) Opening hours</li><li>(g) Additional services (eg petrol station, toilets, café)</li><li>(h) Car parking (no. of spaces and configuration)</li><li>(i) Condition of store (recently refitted?)</li><li>(j) Drivetimes to and from site in question</li><li>(k) Location of competitors (standalone/mall/district center/retail parks, etc)</li><li>(l) Nature of store performance (eg basket or trolley trade?)</li><li>(m) Observe core customers (eg age, affluence)</li></ul>
Study consumers through surveys	Customer ‘spotting’ surveys to understand: <ul style="list-style-type: none"><li>(a) Current customer shopping patterns</li><li>(b) Perceptions of retail image of competitors and current stores in portfolio</li><li>(c) To study areas of under-penetration</li></ul>
Check residential areas	Visit residential areas to review: <ul style="list-style-type: none"><li>(a) Nature of residential catchment compared to available data (if any)</li><li>(b) Any areas of new housing development that may affect forecasts</li><li>(c) Cultural geography of the catchment. Understand divisions between areas that may not be well represented in traditional data sets</li></ul>

Source: Wood & Tasker, 2008

School of Management  
www.som.surrey.ac.uk



## The site visit – the site location & development scheme



Site location Accessibility of the site and throughout the catchment	(a) Ease of access and egress in terms of to the site and within the site itself (eg car park layout) (b) Role and perception of 'trade barriers' for the customers (eg rivers, motorways, topography, etc)
Visibility of site	(a) View from pedestrian walkways (b) View from immediate road on entry and egress (c) View from major adjacent roads
Traffic flows around site	(a) Measure flows throughout different types of day (b) Check road speeds and for one-way streets especially for model calibration if using spatial interaction models (c) Check for any new roads not recorded in current data or models
Pedestrian flows around the site	Measure flows throughout different types of day
Crime check	Examine area around the site for evidence of crime, litter, etc
Site development scheme Appraise the shape of the store and car park	Appraise the scheme for: (a) Size and shape of store relative to the scheme plans (b) Review the suitability of the car park shape and size relative to the scheme (esp. in terms of access) (c) Review the scheme critically – can it be improved?

Source: Wood & Tasker, 2008

School of Management  
www.som.surrey.ac.uk

## Benefits of the site visit



Techniques to employ 'on site'	Calibration of spatial interaction models	Collect data difficult to express in spatial interaction models	Other benefits of the site visit
Checklists	Road speeds	Visibility of site	Aid in selection of suitable analogue stores
Experience/gut feel/experimental	Competitor sizes Competitor car park (no. of spaces) Pedestrian flows Traffic flows Population affluence versus database Exact location of competitors	Benefit/drawbacks of adjacent retailing Role of 'trade barriers' (eg rivers, motorways) in customer decision-making 'Quality' of the competition The 'feel' of the site Ease of access of store Type and structure of residential catchment	

Source: Wood & Tasker, 2008

School of Management  
www.som.surrey.ac.uk



## Knowledge conversion from the site visit into decision making



Action	Reducing observations to data and incorporating into modelling systems	Considering knowledge outside of the model
Site visit Knowledge generation	Observe, interpret and analyse the site Viewpoint formed from observation and experience	
Codification	Reduce 'knowledge' to data to incorporate into model (eg gravity or regression model)	Do not incorporate into formal modelling process and take action to amend forecast outside of the modelling
Model Output	Computational procedure Output from model. Interpretation and analysis	
Forecast Determine cash return on investment	Determine numerical forecast Determine profitability	
Make decision	Based on profitability but also broader strategic perspectives	

Source: Wood & Tasker, 2008

School of Management  
www.som.surrey.ac.uk

## Takeaways...



- Until models become "perfect", forecasting is an art as well as a science
- Analyst experience critical - when to depart from model outputs
- Underlines the importance of learning and dissemination within team
- Implications for training new starters
  - The balance between modelling and fieldcraft is critical
  - Thoroughness on the visit
  - Need to understand how the models work so that they can amend distribution of trade if necessary

School of Management  
www.som.surrey.ac.uk